Fig.1






Fig.2



DESERVE THE SECTION OF THE SECTION O



osenal to the contract of the

Fig.4




Fig.5

present read area head sector No. G present read area size Н last read area head sector No. Α last read area size В last-but-one read area head С sector No. last-but-one read area size D present access direction value ĺ last access direction value Ε

Fig.6





Fig.7

access area head sector No.	Q
access area size	R

Fig.8



DOODULL OFFICE

7/20




Fig.10





Fig.11



DESERVED THE STREET





Fig.13



DESERTED AND CONTRACTOR

Fig.14

present read area head sector No.
present read area size
last read area head sector No.
last read area size
last-but-one read area head
sector No.
last-but-one read area size
present access direction value
present area-to-area distance
last area-to-area distance

G
Н
Α
В
С
D
l
J
E
F




Fig.16

prereading prereading rule table rule entry X_0 prereading direction value prereading rule entry 0 W₀ prereading area-to-area W₁ Y_0 prereading rule entry 1 Z_0 prereading rule entry 2 W2 prereading area size prereading rule entry 3 WЗ X_1 prereading direction value prereading rule entry 4 W4 prereading area-to-area Y_1 prereading rule entry 5 W5 distance Z_1 prereading rule updation flag T prereading area size U prereading rule pointer

Fig.17




Fig.18




Fig.19




Fig.20

in the state of th




Fig.21





Fig.22



under-transfer address	0
next-preread data storage start address	Р

Fig.24

